

Coventry – Timberhaven Comparison:

Subfloor System:

- Coventry:
 - 2x6 Sill Plate
 - 2x10 Perimeter
 - 2x10 Girder
 - No Girder support posts
 - ¾" Advantech
- Timberhaven
 - 2x10 Sill Plate
 - 4x10 Perimeter
 - 2x12 Girder
 - 6x6 Girder support posts
 - ¾" OSB subfloor

Log Wall System:

- Coventry:
 - 14 courses 8x8 log
 - 11" Log Hogs – Self-tapping screw fasteners
 - No Exterior Preservative
- Timberhaven
 - 15 courses 6x8D laminated log (free 8x8 log upgrade)
 - 3/8" x 12" lag – predrilled
 - Exterior Preservative

Dormer Wall System:

- Coventry:
 - No log corner extensions
 - No insulation
 - No Exterior Preservative
- Timberhaven
 - Log corner extensions
 - All wall insulation (R-21)
 - Exterior Preservative

Porch:

- Coventry:
 - 4x8 rafter
 - 1x fascia
- Timberhaven
 - 2x6 rafter / 2x6 ceiling joist
 - 2x fascia

Roof System:

- Coventry:
 - Main Roof Pitch 8/12
 - 1x fascia
 - 5/8" sheathing

- Coventry: (CONT.)
 - 2x12 rafter spacing (??)
 - Exposed tie beam 6x8 spacing (??)
 - No insulation
- Timberhaven:
 - Roof Pitch 10/12
 - 2x fascia
 - 1/2" sheathing w / 'H' clips
 - 2x12 rafter @ 16" o.c.
 - Exposed tie beam 6x8 @ 48" o.c.
 - All roof insulation, air baffle, poly vapor barrier, insulation stop

Loft Floor System:

- Coventry:
 - 2x10 conventional floor system
 - 5/4" stair treads
- Timberhaven:
 - 6x8 heavy timber floor system with 8x12 carrier beam
 - 2x stair treads

Windows / Doors:

- Coventry:
 - Andersen 400 series
 - 1x exterior trim
- Timberhaven
 - Andersen 200 series
 - 1 ¾" x 3 ½" exterior trim (recessed)

Interior:

- Coventry:
 - 6x6 support posts
 - 6x6 wall stiffners
- Timberhaven:
 - 8x8 support posts
 - 6x8 wall stiffners
 - 1x4 baseboard