




FRONT ELEVATION





REAR ELEVATION





LEFT ELEVATION





FLOOR PLAN 1st LEVEL

FLOOR AREA = 1700 SQ. FT.

— INDICATES BEARING WALLS

2x12 CATHEDRAL RAFTER ROOF SYSTEM
w/ 1" T & 6 CEILING FINISH & 6x8 EXPOSED BEAMS

(FINISHES & 5'-0")

5 1/2"

6'-3 1/2"

10'-3 1/4"

10'-3 3/4"

4'-1"

5'-4"

6'-3 1/2"

5 1/2"

5 1/2"

6'-0"

14'-4 1/4"

7'-0"

12'-8 3/4"

7'-0"

5 1/2"

(FINISHES & 5'-0")

3'-0" (FOUNDATION IS 3'-0")


3'-4"

18'-4 1/4"

14'-11 3/4"

3'-0" (FOUNDATION IS 3'-0")

3'-4"



FLOOR PLAN 2nd LEVEL

FLOOR AREA = 1360 SQ. FT.

* NOTE : *
 EGRESS WINDOW, CWN14, IN SOLID LOG CABLE IS LOCATED 3'-2 1/2" FROM TOP OF LOFT FLOORING TO BOTTOM OF WINDOW.

* NOTE : *
 CABLE DORMER WINDOWS, A351, LOCATED IN THE SHOWER AREAS OF 2ND FLOOR BATHROOMS ARE LOCATED 3'-2 1/4" FROM TOP OF LOFT FLOORING TO BOTTOM OF WINDOWS.

