


# FRONT ELEVATION



RIDGE VENT (TYPICAL)

BROKEN LINE INDICATES INSIDE CEILING LOCATION

CRICKET OR SADDLE REQUIRED FOR WEATHER DIVERSION

FLOOR LINE (TYP.)

2x8 FASCIA

LOG COURSE #19

2x10 FASCIA

SOLID LOG GABLE

2x10 FASCIA

LOG COURSE #30

2x10 FASCIA

6 1/16

14



12

STEPS AND POSTS TO GRADE BY OWNER


SOLID LOG  
LOG SIDING SHIRT BOARD

VERIFY GRADE

FLOOR LINE (TYP.)



REAR ELEVATION



LEFT ELEVATION

BROKEN LINES INDICATE  
INSIDE CEILING LOCATION

STEEP PITCH RIDGE VENT (TYPICAL)

CENTERLINES OF 6x8 RAFTERS (TYP.)

2x10 FASCIA

LOG COURSE #28

5 5/8 | 12

2x10 FASCIA

2x10 FASCIA

12 | 11 21/32

SOLID LOG GABLE

12 | 5

2x8 FASCIA

2x12 FASCIA

LOG COURSE #14

LOG COURSE #15

FLOOR LINE (TYP.)

FLOOR LINE (TYP.)

WINDOW SUPPORT BY OTHERS

STEPS TO GRADE BY OWNER

LOG SIDING


VERIFY GRADE

POST TO GRADE BY OWNER


SOLID LOG

SOLID LOG

LOG SIDING SKIRT BOARD




# RIGHT ELEVATION



# FLOOR PLAN 1st LEVEL

FLOOR AREA = 1160 SQ. FT.

▨ - INDICATES BEARING WALLS



# FLOOR PLAN 2ND LEVEL

FLOOR AREA = 838 SQ. FT.