

FRONT ELEVATION

VEHICLE GRADE

POSTS TO GRADE BY OWNER/OTHERS

NOTE:
"TYPICAL" OR "SHOULDER"
REQUIRED FOR WEATHER DIMENSION

1 3/4" x 5 1/2" CORNER
TRIM BOARDS (TYP.)

BROKEN LINE INDICATES
INSIDE CEILING FINISH (TYP.)

BROKEN LINES INDICATE
SOLID POST INSIDE FRAME (TYP.)

LOG COURSE #27

LOG SIDING COURSE #16

ROOF VENT (TYP.)

12
1/4

2x8 FASCI

SOLID LOG

FLOOR LINE (TYP.)

FLOOR LINE (TYP.)
LOG SIDING
LOG SIDING SHIRT BOARD
BLOCK FOUNDATION

VEHICLE GRADE

2x8 FASCI

ROOF VENT (TYP.)

5 7/8
12

5 7/8
12

SOLID LOG

12

12

LOG SIDING

LOG SIDING

LOG SIDING

LOG SIDING

LOG SIDING

LOG SIDING


LOG SIDING

LOG SIDING

LOG SIDING

LOG SIDING

LOG SIDING



RIGHT ELEVATION

KEY: GRAY

STEPS TO OWNER BY OWNER

BLOCK FOUNDATION

FLOOR LINE (11'0")

STEPS AND POSTS TO OWNER BY OWNER/OWNER

SLEEP FROM ROOF VENT (11'0")

4'-0" FROM

ROOF VENT (11'0")

ROOF VENT (11'0")

2x10 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

1 3/4" x 3 1/2" CORNER
HARD BOARDS (11'0")

ROUGH LINES INDICATE
INSIDE CEILING FINISH (11'0")

ROUGH LINES INDICATE
INSIDE CEILING FINISH (11'0")

ROUGH LINES INDICATE
INSIDE CEILING FINISH (11'0")

LOS SHINGLES

2x10 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

2x6 FASCHIA

SEAL

LOS SHINGLES

LOS SHINGLES

LOS SHINGLES

LOS SHINGLES

LOS SHINGLES

LOS SHINGLES

LOS SHINGLES

4'-0"

12'

4'-0"

12'

6'



12'

6'


LOS SHINGLES

LOS SHINGLES

KEY: GRAY



**** NOTE C : ****
 STEP CHIMNEY AS REQUIRED.
 VERIFY MASONRY DESIGN PRIOR
 TO MASONRY CONSTRUCTION



OPEN TO 1ST LEVEL BELOW

*** NOTE : ***
 2x6 STUD WALL
 (STUDS @ 24" O.C.)
 W/ LOG SIMING EXTENDER

FLOOR PLAN 2nd LEVEL
FLOOR AREA = 496 SQ. FT.