



FRONT ELEVATION

REAR ELEVATION





LEFT ELEVATION


BROKEN LINES INDICATE
6x8 POST BEYOND (TYP.)

BROKEN LINE INDICATES
INSIDE CEILING LOCATION

ROOF VENT (TYPICAL)

METAL ROOF SYSTEM
(BY OTHERS)

1'-0" OVERHANG



RIGHT ELEVATION

RIGHT

2x12 CATHEDRAL RAFTER ROOF SYSTEM
w/ 1" T & G CEILING FINISH & 6x8 TIES & 6x8 EXPOSED BEAMS


43'-3"

42'-4"

10'-6"

7'-10"

5 1/2"



BACK

26'-3"

(FOUNDATION IS 26'-0")

5 1/2"

25'-4"

5 1/2"

5'-2"

10'-3 1/2"

4'-6 1/4"

5'-4 1/4"

10'-7 1/2"

6'-8 1/2"

4'-1 1/2"

3'-0"

5'-8 1/2"

9'-8 1/2"

3'-7"

6'-8 1/2"

3'-6 1/2"

2'-1 1/2"

13'-6 1/2"

3'-7"

2'-1 1/2"

13'-6 1/2"

13'-6 1/2"

14'-8 1/2"

12'-9 1/2"

10'-7 1/2"

10'-7 1/2"

18'-6"

5 1/2"

5 1/2"

5 1/2"

5 1/2"

5 1/2"

5 1/2"

6'-1 5/32"

6'-6 27/32"

6'-6 27/32"

6'-1 5/32"

26'-3"

(FOUNDATION IS 26'-0")

FRONT

LEFT

43'-3"

42'-4"

15'-10 3/4"

18'-6"

5 1/2"

5 1/2"

5 1/2"

5 1/2"


5 1/2"

5 1/2"

FLOOR PLAN 1st LEVEL

FLOOR AREA = 1118 SQ. FT.

INDICATES BEARING WALLS @ 16" O.C.



FLOOR PLAN 2nd LEVEL

FLOOR AREA = 628 SQ. FT.