

FRONT ELEVATION

ORDER OR SHAPE REQUIRED FOR BARRIER DIMENSION

1/4" 1/2"

SOLID LOG SHAKE

BRONZE LINE ANNUITIES AND POST BEYOND (1/4")

BRONZE LINE ANNUITIES INSIDE CEILING FROM 1/4" OF 9/12

LOG COURSE 780

AND BARRIER CONTINUANCE

ROOF VENT (1/4")

1/4" 1/2"

SOLID LOG SHAKE

BRONZE LINE ANNUITIES INSIDE CEILING FROM 1/4" OF 9/12

LOG COURSE 780

FLOOR LINE (1/4")

24" PERSON

BRONZE LINE ANNUITIES AND POST BEYOND (1/4")

STEPS AND POSTS TO COME BY OWNER

SOLID LOG LOG SHAKE SHED BOARD

SOLID LOG

LOG COURSE 785


FLOOR LINE (1/4")


1/4" 1/2" 1/4" 1/2"

VENTY SHAKE

FLOOR LINE (1/4")

RIGHT ELEVATION





FLOOR PLAN 1st LEVEL

HOUSE FLOOR AREA = 1,807 SQ. FT.
 GARAGE FLOOR AREA = 638 SQ. FT.

— INDICATES BEARING WALLS

PARTITION/STUD WALL FINISH KEY	LINE TYPE	DESCRIPTION
(Symbol)	(Symbol)	WALL TO BECOME FULL WALL OF 2" x 4" FINISH PARTITION
(Symbol)	(Symbol)	WALL TO BECOME 1/2" WALL OF 2" x 4" FINISH PARTITION

NOTE: 1. SEE SHEET 101 FOR FINISHES
 2. SEE SHEET 102 FOR FINISHES
 ALL INTERIOR WALLS ARE TO BE FINISHED TO BECOME
 1 & 2 PARTITION PARTITIONING ARE TO BE FINISHED BY OTHERS.
 PLEASE VERIFY ALL WALL FINISH LOADINGS.

