



Sales Representative Information:

Name: _____
Address: _____
City: _____
State: _____
Phone: _____
Fax: _____
E-mail: _____

Timberhaven is pleased to present this estimate for

Customer:

Name: Customer _____
Address: _____
City: _____
State: _____ Zip Code: _____
Primary Phone: _____
Other Phone: _____
E-mail: _____

Model / Design Type:

Model: Std. Chesapeake I _____
Design Type: Basic _____

Building Site:

Address: _____
City: _____
County: _____
State: PA _____
Country: USA _____

Material estimate number: E0000

Estimate expiration date: August 31, 2018

Material estimate date: August 1, 2018

Log & Timber Package:

Weathertight Package:

Finish Package: _____

Complete Package Price:

ADDED FEATURES

- *The industry's Best Quality Assurance Programs: 'Complete' Package Guarantee and Lifetime Warranty.*
- *Kiln-dried Engineered Log & Timber Components (9% average moisture content) provide superior strength and stability with little to no checking, warping, or twisting to our logs or timbers in our NON-settling systems.*
- *Kiln-dried Graded / Certified Engineered logs are produced / inspected under a continuous in-plant quality control process audited by third party agencies, PFS-TECO Corporation and the Log and Timber Homes Council. A Certificate of Inspection is provided with each log home package.*
- *Custom Design Assistance (FREE) available to help you create your unique log or timber frame home design based on your personal lifestyle.*
- *Engineering Services offered include stamped plans, beam sizings, energy calculations, etc. specific to your plan as required to support the permitting processes.*
- *Detailed Construction Manual and Construction / Assembly Plans provided for both our PRE-CUT log and timber frame packages to enhance the speed and accuracy of the building process.*
- *Name Brand Components such as Andersen and Therma-Tru are standard in every package.*
- *Pre-cut, Pre-sorted, Inverse Stacking of your log or timber frame components ensures a timely on-site construction process.*
- *Delivery Included at NO additional charge anywhere in the Continental U.S.*
- *Multi-Stage Deliveries provided to protect your home's materials /components from weather damage, theft and / or when working with challenging site conditions.*
- *Double-Protected Packages include carefully wrapped material bundles and tarped delivery trucks to help protect your materials from the elements during and after delivery.*
- *Construction and Planning Workshops (FREE) are a perfect way to expand your overall log and timber frame knowledge, tour our facility and meet our experienced staff.*
- *Contractor Workshops (FREE) provided on a one-on-one basis for your builder (and his crew) to assure a confident, timely and smooth construction process.*
- *Toll-Free Technical Assistance / Customer Service Hotline staffed by our experienced staff to get your questions answered before, during and after the construction process.*
- *Nationwide Representative Network includes the assurance of a trained professional to guide you along each step of the process.*



AREA DESCRIPTIONS (REFER TO SKETCH)

| AREA #1 | | | | | | | |
|---|-----------------|----------------------|------------------|-----------------------|-------------------|-----------------|--|
| 1. Parameters | Foundation size | 46' x 24' | Location | Main | Courses to square | 15 | |
| 2. Exterior | Log/Profile | 6x8 D | Species | Engineered White Pine | Corners | Mortise & Tenon | |
| | Gables | Left Log | Gables | Right Log | | | |
| 3. Interior | 2nd floor at | 14 th Course | 2nd floor stairs | Finish | Bsmt stairs | Basement | |
| | 2nd floor over | Entire Area | Cathedral over | | Exposed Beams | None | |
| 4. Roof | Roof style | 2x Cathedral | Pitch | 12 /12 | Collar ties | 6x8 | |
| 5. Dormer #1 | Size/Type | 2 @ 5'-1 1/2" Gable | Location | Front | Courses to square | 12 | |
| | Log/Profile | 2x8 D | Species | Engineered White Pine | Corners | Mortise & Tenon | |
| | Roof style | 2x Cathedral | Pitch | 12 /12 | Collar ties | 6x8 | |
| Dormer #2 | Size/Type | 11'-2 1/2" Gable | Location | Front | Courses to square | 12 | |
| | Log/Profile | 2x8 D | Species | Engineered White Pine | Corners | Mortise & Tenon | |
| | Roof style | 2x Cathedral | Pitch | 11 /12 | Collar ties | 6x8 | |
| Dormer #3 | Size/Type | 46' Shed | Location | Rear | Courses to square | 12 | |
| | Log/Profile | 2x8 D | Species | Engineered White Pine | Corners | Mortise & Tenon | |
| | Roof style | 2x Cathedral | Pitch | 5 /12 | Collar ties | 6x8 | |
| 6. Porch #1 | Size | 46' x 8' | Location | Front | Deck #1 Size | 13' x 26' | |
| | Roof style | Shed w/ Flat Ceiling | Pitch | 4 /12 | Location | Left Rear | |
| Porch #2 | Size | x | Location | | Deck #2 Size | 9' x 26' | |
| | Roof style | | Pitch | /12 | Location | Right Rear | |
| 7. Notes: 10' x 3' inset at front entrance of house. 12/12 pitch 9' wide reverse gables located above both windows on rear shed dormer. | | | | | | | |

| AREA #2 | | | | | | | |
|---------------|-----------------|----------------------------------|------------------|-----------------------|-------------------|-----------------|--|
| 1. Parameters | Foundation size | 24' x 18' | Location | Rear of Area #1 | Courses to square | 15 | |
| 2. Exterior | Log/Profile | 6x8 D | Species | Engineered White Pine | Corners | Mortise & Tenon | |
| | Gables | Rear Log | Gables | | | | |
| 3. Interior | 2nd floor at | 14 th Course | 2nd floor stairs | | Bsmt stairs | | |
| | 2nd floor over | Loft extends 4' out from Area #1 | Cathedral over | Entire Area | Exposed Beams | None | |
| 4. Roof | Roof style | 2x Cathedral | Pitch | 12 /12 | Collar ties | 6x8 | |
| 5. Dormer #1 | Size/Type | | Location | | Courses to square | | |
| | Log/Profile | | Species | | Corners | | |
| | Roof style | | Pitch | /12 | Collar ties | | |
| Dormer #2 | Size/Type | | Location | | Courses to square | | |
| | Log/Profile | | Species | | Corners | | |
| | Roof style | | Pitch | /12 | Collar ties | | |
| 6. Porch #1 | Size | x | Location | | Deck #1 Size | 24' x 8' | |
| | Roof style | | Pitch | /12 | Location | Rear | |
| Porch #2 | Size | x | Location | | Deck #2 Size | x | |
| | Roof style | | Pitch | /12 | Location | | |
| 7. Notes: | | | | | | | |

| AREA #3 | | | | | | | |
|---------------|-----------------|--------------|------------------|-----------------------|-------------------|-----------------|--|
| 1. Parameters | Foundation size | 8' x 15' | Location | Left of Area #1 | Courses to square | 15 | |
| 2. Exterior | Log/Profile | 6x8 D | Species | Engineered White Pine | Corners | Mortise & Tenon | |
| | Gables | Left Log | Gables | | | | |
| 3. Interior | 2nd floor at | th Course | 2nd floor stairs | | Bsmt stairs | | |
| | 2nd floor over | | Cathedral over | Entire Area | Exposed Beams | None | |
| 4. Roof | Roof style | 2x Cathedral | Pitch | 12 /12 | Collar ties | 6x8 | |
| 5. Dormer #1 | Size/Type | | Location | | Courses to square | | |
| | Log/Profile | | Species | | Corners | | |
| | Roof style | | Pitch | /12 | Collar ties | | |
| Dormer #2 | Size/Type | | Location | | Courses to square | | |
| | Log/Profile | | Species | | Corners | | |
| | Roof style | | Pitch | /12 | Collar ties | | |
| 6. Porch #1 | Size | x | Location | | Deck #1 Size | x | |
| | Roof style | | Pitch | /12 | Location | | |
| Porch #2 | Size | x | Location | | Deck #2 Size | x | |
| | Roof style | | Pitch | /12 | Location | | |
| 7. Notes: | | | | | | | |

AREA DESCRIPTIONS (REFER TO SKETCH)

| AREA #4 | | | | | | | |
|---------------|-----------------|--------------|-----|------------------|-----------------------|-------------------|-----------------|
| 1. Parameters | Foundation size | 8' x 15' | | Location | Right of Area #1 | Courses to square | 15 |
| 2. Exterior | Log/Profile | 6x8 | D | Species | Engineered White Pine | Corners | Mortise & Tenon |
| | Gables | Right | Log | Gables | | | |
| 3. Interior | 2nd floor at | th Course | | 2nd floor stairs | | Bsmt stairs | |
| | 2nd floor over | | | Cathedral over | Entire Area | Exposed Beams | None |
| 4. Roof | Roof style | 2x Cathedral | | Pitch | 12 /12 | Collar ties | 6x8 |
| 5. Dormer #1 | Size/Type | | | Location | | Courses to square | |
| | Log/Profile | | | Species | | Corners | |
| | Roof style | | | Pitch | /12 | Collar ties | |
| Dormer #2 | Size/Type | | | Location | | Courses to square | |
| | Log/Profile | | | Species | | Corners | |
| | Roof style | | | Pitch | /12 | Collar ties | |
| 6. Porch #1 | Size | x | | Location | | Deck #1 Size | x |
| | Roof style | | | Pitch | /12 | Location | |
| Porch #2 | Size | x | | Location | | Deck #2 Size | x |
| | Roof style | | | Pitch | /12 | Location | |
| 7. Notes: | | | | | | | |

| AREA #5 | | | | | | | |
|---------------|-----------------|-----------|--|------------------|-----|-------------------|---|
| 1. Parameters | Foundation size | x | | Location | | Courses to square | |
| 2. Exterior | Log/Profile | | | Species | | Corners | |
| | Gables | | | Gables | | | |
| 3. Interior | 2nd floor at | th Course | | 2nd floor stairs | | Bsmt stairs | |
| | 2nd floor over | | | Cathedral over | | Exposed Beams | |
| 4. Roof | Roof style | | | Pitch | /12 | Collar ties | |
| 5. Dormer #1 | Size/Type | | | Location | | Courses to square | |
| | Log/Profile | | | Species | | Corners | |
| | Roof style | | | Pitch | /12 | Collar ties | |
| Dormer #2 | Size/Type | | | Location | | Courses to square | |
| | Log/Profile | | | Species | | Corners | |
| | Roof style | | | Pitch | /12 | Collar ties | |
| 6. Porch #1 | Size | x | | Location | | Deck #1 Size | x |
| | Roof style | | | Pitch | /12 | Location | |
| Porch #2 | Size | x | | Location | | Deck #2 Size | x |
| | Roof style | | | Pitch | /12 | Location | |
| 7. Notes: | | | | | | | |

| AREA #6 | | | | | | | |
|---------------|-----------------|-----------|--|------------------|-----|-------------------|---|
| 1. Parameters | Foundation size | x | | Location | | Courses to square | |
| 2. Exterior | Log/Profile | | | Species | | Corners | |
| | Gables | | | Gables | | | |
| 3. Interior | 2nd floor at | th Course | | 2nd floor stairs | | Bsmt stairs | |
| | 2nd floor over | | | Cathedral over | | Exposed Beams | |
| 4. Roof | Roof style | | | Pitch | /12 | Collar ties | |
| 5. Dormer #1 | Size/Type | | | Location | | Courses to square | |
| | Log/Profile | | | Species | | Corners | |
| | Roof style | | | Pitch | /12 | Collar ties | |
| Dormer #2 | Size/Type | | | Location | | Courses to square | |
| | Log/Profile | | | Species | | Corners | |
| | Roof style | | | Pitch | /12 | Collar ties | |
| 6. Porch #1 | Size | x | | Location | | Deck #1 Size | x |
| | Roof style | | | Pitch | /12 | Location | |
| Porch #2 | Size | x | | Location | | Deck #2 Size | x |
| | Roof style | | | Pitch | /12 | Location | |
| 7. Notes: | | | | | | | |

AREA DESCRIPTIONS (REFER TO SKETCH)

| GARAGE | | | | | |
|---------------------------|-----------------|-----------|------------------|---------------------|-------------|
| 1. Parameters | Foundation size | x | Location | Courses to square | |
| 2. Exterior | Log/Profile | | Species | Corners | |
| | Gables | | Gables | | |
| 3. Interior | 2nd floor at | th Course | 2nd floor stairs | Bsmt stairs | |
| | 2nd floor over | | Cathedral over | Exposed Beams | |
| 4. Roof | Roof style | | Pitch | /12 | Collar ties |
| 5. Dormer #1 | Size/Type | | Location | Courses to square | |
| | Log/Profile | | Species | Corners | |
| | Roof style | | Pitch | /12 | Collar ties |
| Dormer #2 | Size/Type | | Location | Courses to square | |
| | Log/Profile | | Species | Corners | |
| | Roof style | | Pitch | /12 | Collar ties |
| 6. Porch #1 | Size | x | Location | Deck #1 Size | x |
| | Roof style | | Pitch | /12 | Location |
| Porch #2 | Size | x | Location | Deck #2 Size | x |
| | Roof style | | Pitch | /12 | Location |
| 7. Interior Finish | Garage | | 2nd floor | | |
| 8. Notes: | | | | | |

| Basement | | | | | |
|------------------------|------------------|---|-----------------------|-------------------|---------|
| 1. Walkout wall | Length/height | x | Location | Courses to square | Framing |
| 2. Exterior | Log/Profile | | Species | Corners | |
| 3. Interior | 1x8 T&G Paneling | | Fiberglass Insulation | | |
| 4. Notes: | | | | | |

General Notes:

- Unless noted otherwise, porch and deck posts and steps to grade are provided by others.
- All double hung windows are quoted as "Equal Sash"; all grilles if included, are priced as colonial style unless noted otherwise, specialty windows (traps, triangles, etc) will not receive grilles
- Finish style stairs if included in pricing, to basement will automatically receive 2x6 walls around the perimeter of the stairs with a door at the bottom.
- All fireplace materials if shown on plans which includes chimney, stone veneer and actual fireplace are not included in price unless requested.
- Additional engineering fees and/or additional materials that are required as a result of structural engineering requirements, local code considerations, load calculations for wind, snow, etc., state stamps/seals, energy calculations, and/or customer requests such as steel beam sizing, radiant floor heating systems, etc., will be billed in addition to the quoted package price. (Based on approved engineering documentation/drawings.)
- All applicable sales tax will be reflected on Sales Agreement
- This estimate is for qualification purposes only. A firm price may be obtained by placing the minimum deposit and requesting a quotation.

Thank you for considering Timberhaven Log & Timber Homes

*We appreciate the opportunity to earn your trust and
look forward to assisting you with your forever home.*



Material estimate number: E0000

EXTERIOR LOG WALLS

- Kiln-dried, pre-cut, predrilled Engineered log walls, gables (LT)
- Kiln-dried, Engineered corner, and 6x8 support posts w/ Lag bolts (LT)
- Kiln-dried log siding skirt board w/corner extensions (LT)
- Filler corners (LT)
- Kiln-dried corner trim boards (LT)
- Pre-cut splines (LT)
- 3/8 x 12 Lag bolts (LT)
- Butylog® sealant tape (LT)
- Gasket and caulking (LT)
- Polebarn nails for mortise & tenon corners (LT)
- Chinking (LT)

EXTERIOR FRAMED WALLS

- Kiln-dried log siding for dormers, gables (LT)
- Board & Batten siding (LT)
- Stone Veneer (WT)
- Wood shakes (WT)
- Kiln-dried corner extensions for dormers (LT)
- Corner trim (LT)
- 2x4, 2x6 framed dormers, gables @ 16" OC (WT)
- 7/16" OSB sheathing for dormers, gables (WT)
- 15# felt paper vapor barrier (WT)
- R-21 insulation for dormers, gables (FN)
- 1x8 T&G for dormers, gables (FN)

GARAGES

- Kiln-dried log (LT)
- Kiln dried log sided walls (LT)
- Kiln-dried log corner extensions (LT)
- Kiln-dried corner trim boards (LT)
- Framed garage walls @ 16" OC (WT)
- Sheathing (WT)
- Vapor barrier (WT)
- Wall insulation (FN)
- Roof insulation (FN)
- T&G for walls (FN)

BASEMENT

- Log walkout walls (LT)
- Sided walkout walls (LT)
- Kiln-dried log corner extensions (LT)
- Framed walkout walls (WT)
- Sheathing (WT)
- Vapor barrier (WT)
- Insulation for walkout walls (FN)
- T&G for walkout walls (FN)
- Ceiling (FN)

1st LEVEL FLOOR SYSTEM

- 4x10 solid hemlock perimeter box w/hurricane ties (LT)
- Pressure treated 2x sill plate and sill seal (WT)
- Pressure treated 6x6 girder support posts (WT)
- 4-ply 2x12 girder beam (WT)
- 2x10 floor joists @ 16" OC w/metal bridging (WT)
- I-joists (WT)
- 3/4" Advantech® T&G subfloor (WT)
- Floor insulation (FN)
- Construction adhesive (WT)
- Metal joist hangers and banding (WT)

2nd LEVEL FLOOR SYSTEM

- Kiln-dried, Engineered 6x8 loft joists @ 32" OC w/ lag bolts (LT)
- 8x12 Engineered beams w/ lag bolts (LT)
- Kiln-dried, Engineered 8x8 loft posts (LT)
- Wall ties w/ lag bolts (LT)
- Glu-Lam beams w/ lag bolts (LT)
- Heavy timber joist hangers w/ lags, and bolts as required (LT)
- Kiln dried exposed beams @ 48" OC w/ lag bolts (LT)
- Girder (LT)
- Joists (LT)
- I-joists (LT)
- 3/4" Subfloor (FN)
- Construction adhesive (FN)
- Metal joist hangers and banding (FN)
- Composition floor, 1x8 T&G w/ 3/4" T&G Advantech® above (FN)
- Floor insulation (FN)
- 2x6 T&G loft flooring (FN)
- Metal banding (LT)
- Ceiling under loft floor (FN)
- Loft railing, 6x6 posts, 2x4 rails, (FN)
2x2 balusters Railing Species WP

HAND HEWN COMPONENTS

- Exterior (LT)
- Interior (LT)
- Loft joists (LT)
- Posts and beams (LT)
- Loft deco beams (LT)
- Heavy timber roof (LT)
- Rafter ties (LT)

EXTERIOR PRESERVATIVE

- Q8 Outlast Log Oil® (FN)
- Insect repellent (FN)
- Stain (Q8 Outlast Log Oil® only) (FN)

(LT) = Log and Timber (WT) = Weathertight (FN) = Finish

ROOF SYSTEMS

Common roof system materials

- 7/16" OSB roof sheathing w/ H-clips (WT)
- Glu-lam ridge/support beams as required w/ lag bolts (LT)
- Rhino Roof™ synthetic felt, ice and water shield (WT)
- Tamko® Heritage 30-year architectural fiberglass shingles (WT)
- Ridge vent (WT)
- 2x WP fascia (WT)
- Posts w/ lag bolts (LT)

Heavy timber truss roof system

- Beam & purlin roof (LT)
- Rafters (LT)
- Ties (LT)
- Purlins (LT)
- A truss Dormer truss W truss
- Shed Truss Scissor truss Gambrel truss

Heavy timber rafter roof system

- Heavy timber roof (LT)
- Rafters (LT)
- Ties (LT)
- 15# felt paper vapor barrier (WT)
- Ceiling T&G (WT)
- Rigid insulation (WT)
- Vented drip edge (WT)
- 2x4 furring strips w/ timberscews (WT)
- Chimney/skylight framing w/ lag bolts (LT)

Conventional roof systems

- Truss roofs (WT)
- Pre-fab gable truss (WT)
- 2x12 rafters @ 16" OC (WT)
- I-joist rafters (WT)
- Hurricane ties for rafter roofs (WT)
- Kiln-dried Engineered 6x8 collar ties @ 48" OC w/ bolts (LT)
- Soffit (WT)
- 1x8 T&G soffit paneling (WT)
- Strip soffit vent (WT)
- Drip edge and flashing (as required) (WT)
- Kiln dried exposed beams (LT)
- Exposed hip, ridge or valley beam (LT)
- Kiln dried deco truss (LT)
- Deco overhang (WT)
- Deco octagon louver (non-venting) (WT)
- R-38 unfaced high density insulation (FN)
- Insulation baffle, support wires (FN)
- Poly vapor barrier (FN)
- 1x8 T&G ceiling finish (FN)

PORCHES

- 2x8 PT joists @16" OC w/headers, hangers and copper flashing (WT)
- 5/4 PT decking (FN)
- Kiln-dried, Engineered 6x8 porch header w/ lag bolts (LT)
- PT 6x6 porch posts w/ lag bolts (WT)
- PT 6x6 post braces w/ timberscrews (WT)
- Beam & purlin roof (LT)
- Rafters (LT)
- Ties (LT)
- Purlins (LT)
- Shed Truss A truss W truss
- Heavy timber roof (LT)
- Rafters (LT)
- Ties (LT)
- Ceiling T&G (FN)
- Vented drip edge (WT)
- 2x4 furring strips w/ timberscrews (WT)
- Pre-fab truss roof (WT)
- 2x6 rafters @ 16" OC (WT)
- Hurricane ties (WT)
- 2x WP fascia (WT)
- 2x6 ceiling joists @ 16" OC (WT)
- Drip edge and flashing (as required) (WT)
- Strip soffit vent (WT)
- 7/16" OSB roof sheathing w/ H-clips (WT)
- Rhino Roof™ synthetic felt, Ice and water shield (WT)
- Tamko® Heritage, 30 year architectural fiberglass shingles (WT)
- Kiln dried deco truss (LT)
- 1x8 T&G ceiling finish (FN)
- Porch railing, 6x6 posts, 2x4 rails, (FN)
- 2x2 balusters Railing Species PT

DECK/BALCONY

- 2x8 PT joists @12" OC w/headers, hangers and copper flashing (FN)
- 5/4 PT decking (FN)
- Deck railing, 6x6 posts, 2x4 rails, (FN)
- 2x2 balusters Railing Species PT

STAIRS

- Basement stairs, 2x12 SPF2 stringers, (FN)
- 2x WP treads, 2x4 SPF2 railing and Landing
- Finish stairs, 2x12 SPF2 stringers, (FN)
- 1x10 WP risers, 2x WP treads and Landing
- Exposed stairs (FN)
- Spiral stairs (FN)
- Log stairs (FN)
- Stair railings (FN)
- Railing Species WP

(LT) = Log and Timber (WT) = Weathertight (FN) = Finish

Material estimate number: E0000

| | | Andersen® | Andersen® | | | Andersen® | Andersen® |
|-------------------------------------|---|------------|------------|-------------------------------------|--|--------------|----------------|
| <u>Patio Doors (WT)</u> | | 200 Series | 400 Series | <u>Windows (WT)</u> | | 200 Series | 400 Series |
| <input type="checkbox"/> | Single door | _____ | _____ | <input checked="" type="checkbox"/> | Double Hung | 16 | _____ |
| <input checked="" type="checkbox"/> | Center hinge | _____ | 4 | <input checked="" type="checkbox"/> | Casement | 3 | _____ |
| <input type="checkbox"/> | Double hinge | _____ | _____ | <input type="checkbox"/> | Picture/Rectangle | _____ | _____ |
| <input type="checkbox"/> | Gliding door | _____ | _____ | <input type="checkbox"/> | Awning | _____ | _____ |
| <input type="checkbox"/> | Transoms | _____ | _____ | <input type="checkbox"/> | Gliding | _____ | _____ |
| <input type="checkbox"/> | Sidelights | _____ | _____ | <input type="checkbox"/> | Transoms | _____ | _____ |
| <input checked="" type="checkbox"/> | Lockset(s) <u>4 Newbury</u> Finish <u>Oil Rubbed Bronze</u> | _____ | _____ | <input type="checkbox"/> | Bay/Bow | _____ | _____ |
| <input checked="" type="checkbox"/> | Removable Colonial grilles | _____ | _____ | <input checked="" type="checkbox"/> | Removable Colonial grilles | _____ | _____ |
| <input checked="" type="checkbox"/> | Screens | _____ | _____ | <input checked="" type="checkbox"/> | Screens | _____ | _____ |
| | | | | <input checked="" type="checkbox"/> | Circle tops | 1 | _____ |
| | | | | <input checked="" type="checkbox"/> | Finelight Sunburst grilles for circle top windows | _____ | _____ |
| <u>Therma Tru® Doors (WT)</u> | | | | <input type="checkbox"/> | Rounds | _____ | _____ |
| <input checked="" type="checkbox"/> | Style <u>FCM606LE</u> | _____ | 1 | <input type="checkbox"/> | Archtop/Eyebrow | _____ | _____ |
| <input type="checkbox"/> | Style _____ | _____ | _____ | <input type="checkbox"/> | Archtop/Eyebrow grilles | _____ | _____ |
| <input type="checkbox"/> | Style _____ | _____ | _____ | <input type="checkbox"/> | Springline/Palladian | _____ | _____ |
| <input type="checkbox"/> | Hinged Patio Doors | _____ | _____ | <input type="checkbox"/> | Springline/Palladian grilles | _____ | _____ |
| <input type="checkbox"/> | Gliding Patio doors | _____ | _____ | <input type="checkbox"/> | Trapezoids | _____ | _____ |
| <input type="checkbox"/> | Firedoor | _____ | _____ | <input type="checkbox"/> | Pentagons | _____ | _____ |
| <input type="checkbox"/> | Basement doors | _____ | _____ | <input checked="" type="checkbox"/> | Right triangles | _____ | 2 |
| <input checked="" type="checkbox"/> | Lockset(s) <u>1 Plymouth</u> | _____ | _____ | <input type="checkbox"/> | Other custom windows | _____ | _____ |
| <input type="checkbox"/> | deadbolt | _____ | _____ | <input type="checkbox"/> | Fixed octagon | _____ | _____ |
| <input type="checkbox"/> | Single cylinder deadbolt _____ <input type="checkbox"/> Kickplate _____ | _____ | _____ | <input type="checkbox"/> | Wood octagon | _____ | _____ |
| | Door hardware finish <u>Aged Bronze</u> | _____ | _____ | <input type="checkbox"/> | Basement windows | _____ | _____ |
| <input checked="" type="checkbox"/> | 1x4 WP Interior trim for exterior doors, windows, w/windowsills (FN) | _____ | _____ | <input type="checkbox"/> | High altitude glass | _____ | _____ |
| <input checked="" type="checkbox"/> | Bucks, gasket and caulking for doors and windows (WT) | _____ | _____ | | | Fixed | Manual |
| <input checked="" type="checkbox"/> | 1 3/4x3 1/2 WP Exterior trim for doors and windows (WT) | _____ | _____ | | | _____ | Powered |
| | | | | <input type="checkbox"/> | Roof window/Skylight | _____ | _____ |
| <u>INTERIOR FRAMED WALLS</u> | | | | <u>INTERIOR DOORS</u> | | | |
| <input checked="" type="checkbox"/> | 2x4, 2x6 interior bearing walls 16" OC (WT) | _____ | _____ | <input checked="" type="checkbox"/> | Prehung raised panel pine doors (FN) | _____ | 10 |
| <input checked="" type="checkbox"/> | 2x4, 2x6 interior partitions 16" OC (FN) | _____ | _____ | <input checked="" type="checkbox"/> | Raised panel bi-fold doors, w/jambs (FN) | _____ | 6 |
| <input type="checkbox"/> | Furring for foundation (FN) | _____ | _____ | <input type="checkbox"/> | Bypass doors (FN) | _____ | _____ |
| <input type="checkbox"/> | Partition insulation (FN) | _____ | _____ | <input type="checkbox"/> | French doors (FN) | _____ | _____ |
| <input checked="" type="checkbox"/> | 1x8 T&G for interior partitions | _____ | _____ | <input type="checkbox"/> | Pocket door (FN) | _____ | _____ |
| | | | | <input checked="" type="checkbox"/> | Accent Aged Bronze locksets, Aged Bronze hinges (FN) | _____ | _____ |
| <input checked="" type="checkbox"/> | 1x4 WP baseboard (FN) | _____ | _____ | <input checked="" type="checkbox"/> | 1x4 WP interior door trim (FN) | _____ | _____ |
| <u>ADDITIONAL/CUSTOM ITEMS</u> | | | | <u>MISCELLANEOUS</u> | | | |
| <input type="checkbox"/> | | _____ | _____ | <input checked="" type="checkbox"/> | Shims (LT) | _____ | _____ |
| | | | | <input checked="" type="checkbox"/> | Blueprints (LT) | _____ | _____ |
| | | | | <input checked="" type="checkbox"/> | Construction manual (LT) | _____ | _____ |

(LT) = Log and Timber (WT) = Weathertight (FN) = Finish